

CERETAN MA 7150

TECHNICAL INFORMATION

Chemical description: Micronized erucamide wax

Applications: **Printing inks** e.g. solvent based flexo inks
Plastics
Additive for **paper industry**
Additive for **ceramics**

Properties:

- Good antiblocking
- Excellent slip properties
- Good recoatability and wet printing properties
- Defoamer in the production of paper and cardboard
- Surface lubricant for the metal production

Advantages:

- Specified maximum particle size (D99 value) and constant and narrow particle size distribution
- Better dispersibility / particle size distribution than CERETAN A 71

Technical data:

Colour: white

Consistency: fine powder

	Minimum	Maximum	Method
Particle size*			
Specified value:		99% < 50 µm	LV 5
Typical value:		50% < 13 µm	(ISO 13320)
Drop point:	80 °C	88 °C	LV 12 (DGF M-III 3)
Acid value:		1 mg KOH/g	DIN EN ISO 2114
Shelf life:	12 months (Stored in sealed original packing below 35 °C)		

** part of certificate of analysis*

Our technical suggestions are based on data from many experiments and cannot represent a warranty of any kind as to their performance in other formulations. Customers must always verify our product's performance in their own systems. This technical data sheet replaces all previous issues.
EN Revision: June 2016