

# CERETAN MP 2120

## TECHNICAL INFORMATION

**Chemical description:** Micronized polypropylene wax

**Application:** **Paints and coatings**, such as powder coatings, industrial paints, architectural, furniture and floor coatings  
**Printing inks**, such as gravure, overprint, screen printing and flexographic inks

**Properties:** **In paints and coatings:**

- Matting agent
- Improved antislip properties
- Scratch resistance
- Improved "soft feel" effect
- Excellent Antiblocking

**Advantages:**

- High temperature resistance, melts above 150 °C
- Specified maximum particle size (D99 value), narrow and uniform particle size distribution

**Technical data:**

Colour:	white		
Consistency:	fine powder		
	<b>Minimum</b>	<b>Maximum</b>	<b>Method</b>
<b>Particle size*</b>			
Specified value:		99% < 20 µm	LV 5
Typical value:		50% < 10 µm	(ISO 13320)
Drop point:	156 °C	164 °C	LV 12 (DGF M-III 3)
Shelf life:	24 months (Stored in sealed original packing below 35 °C)		

*\* part of certificate of analysis*

Our technical suggestions are based on data from many experiments and cannot represent a warranty of any kind as to their performance in other formulations. Customers must always verify our product's performance in their own systems. This technical data sheet replaces all previous issues.  
EN Revision: November 2016